	Application No.	Applicant(s)
Notice of Allowability	10/719,025	BERKOWITZ ET AL.
	Examiner	Art Unit
	Tony Chuo	1745
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>5/11/07</u> .		
2. The allowed claim(s) is/are <u>1-3,15-17,19-24,26-28,32-36,56-62,65,66,68-70,78,79,83 and 84.</u>		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Inform	nal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview Sumr	mary (PTO-413),
3. ☑ Information Disclosure Statements (PTO/SB/08),	Paper No./Ma 7. ⊠ Examiner's Am	ii Date endment/Comment
Paper No./Mail Date <u>5/11/07</u> 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		tement of Reasons for Allowance
	9.	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Nabinger on 6/26/07.

The application has been amended as follows:

In the claims:

- a) in claim 3, lines 2-3, change "0.8-0.15% by weight of manganese" to "0.8-1.2% by weight of magnesium";
 - b) in claim 65, line 3, change "manganese" to "magnesium";
- 2. The following is an examiner's statement of reasons for allowance: Mikhaylik et al as modified by Tischer et al teaches a lithium battery comprising an anode including a lithium-containing anode active material that is lithium metal; a solid cathode including a current collector that includes an aluminum alloy and a cathode active material that is in contact with the current collector; a separator between the anode and the cathode; wherein the aluminum alloy that is a 6000 series aluminum alloy including 0.04-0.4% by weight of chromium, 0.01-6.8% by weight of copper, 0.1-7% by weight of magnesium, 0.15% or less by weight of manganese, and 0.4-0.8% by weight of silicon; an aluminum alloy including 0.15-0.4% by weight of copper, 0.7% or less by weight of iron, 0.8-1.2%

Application/Control Number: 10/719,025

Art Unit: 1745

by weight of magnesium, 0.1% or less by weight of titanium, and 0.25% or less by weight of zinc. However, Mikhaylik et al as modified by Tischer et al does not expressly teach a cathode active material that includes a manganese dioxide, a CF_x, iron disulfide, a vanadate, metal oxides or metal halides.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Chuo whose telephone number is (571) 272-0717. The examiner can normally be reached on M-F, 8:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

Application/Control Number: 10/719,025

Art Unit: 1745

USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TC

JONATHAN CREPEAU PRIMARY EXAMINER